MAGNETIC STIRRER (HEAVY DUTY PERMANENT MAGNET)

DESCRIPTION

It has a compact stirring device utilizing a rotating magnetic field (created by a PERMANENT MAGNET) which induces variable speed stirring action. Stirring is accomplished by means of small Teflon rotor, which when placed in the liquid to be stirred is capable of rotation by magnetic field applied from below the container. The unit is fitted with pilot lamp. The work on 220/230 volts. AC.



MODEL: GEN-051

FEATURES

- Digital Display
- Aluminium molded Construction and Knob for Electronic Variable speed Control with display
- Stirring: 100 to 2000 rpm
- Speed accuracy ± 2
- Temperature control –microprocessor
- Plate diameter- 150 x 150 mm
- Dimensions (w x d x h) mm: 180 x 255 x 122 (Approximate)
- Supply voltage- 230 V/ 50 Hz
- High Magnetic Strength
- IP32 rated for water and dust resistance
- Certified : CE and RoHS certified

CAPACITY

- ✤ 1 litre
- 2 litre
- 5 litre
- 10 litre

GenNEXT Lab Technologies Pvt. Ltd

(An ISO 9001:2015 Certified Company)

Office No. 3, CSC-5, 1st Floor, Gole Market, Sector-9, Rohini, Delhi – 110085 Email: <u>sales@gennextlab.com</u> & <u>gennextlab@gmail.com</u> Website: www.gennextlab.com

